Natchez Trace Parkway






Table of Contents

Section 1:0 verview of the Natchez Trace Parkway

- Page 1– Natchez Trace Parkway information
- Page 2– Map of ecoregions along the Natchez Trace Parkway
- Page 3–Species along the Natchez Trace Parkway
- Page 4– Invasive species along the Natchez Trace Parkway

Section 2: Prescribed Fire

- Page 5-Natural fire-dependent cycle
- Page 6-Benefits of burning
- Page 7–Intermediate disturbance hypothesis
- Page 8-Burn cycle of pine systems
- Page 9– Real-time burn cycle
- Page 10-Goals of fire at Natchez Trace Parkway

Section 3: Succession

Page 11-Stages of succession

Section 4: Habitat

- Page 12– What is habitat?
- Page 13– How does fire help create habitat?

Section 5: Glossary

Overview of the Natchez Trace Parkway

Natchez Trace Parkway Information

What is the Natchez Trace Parkway?

The Natchez Trace Parkway is a National Park that is a 444 mile roadway, with an average width of only 800 feet, that stretches from Natchez, MS to Nashville, TN. The Parkway crosses through Mississippi, Alabama, and Tennessee as well as multiple ecosystems, 8 watersheds, and 12 physiographic regions. This National Park keeps 39,000 of its 52,000 acres in natural condition so that visitors can enjoy the historical and panoramic views.

What some ecoregions that occur along the Natchez Trace Parkway?

- Nashville Basin
- Highland Rim
- Fall Line Hills
- Blackland Prairie/Margins
- Northern Hilly Gulf Coastal Plain
- Southern Rolling Hills
- Mississippi Valley Bluff Hills and Loess Plains

How many species are confirmed to be found along the Natchez Trace Parkway?

Flora:

- 2,200 plant species


Fauna:

- 33 mammals
- 134 birds
- 24 amphibians
- 47 reptiles
- 242 fish (more than any other national park!)

What are some invasive species along the Natchez Trace Parkway that are managed in part by fire?

- Chinese privet
- Kudzu
- Japanese honeysuckle
- Johnsongrass

Overview of the Natchez Trace Parkway



Page 2

Overview of the Natchez Trace Parkway Species Along the Natchez Trace Parkway American white pelican American alligator White-tailed deer Gray rat snake Spotted Bald Eagle (FWS Photo) Red fox Threatened and Endangered Species Along the Natchez Trace Parkway Leafy prairie-clover Indiana bat (FWS Photo) Louisiana black bear (FWS Photo) (FWS Photo) Slackwater darter Ringed sawback turtle Shiny pigtoee mussel (FWS Photo) Γennessee purple coneflower (FWS Photo)

Page 3


Overview of the Natchez Trace Parkway Invasive Species Along the Natchez Trace Parkway Japanese honeysuckle Nepalese browntop Chinese privet Clover

Page 4

Natural Fire-Dependent Cycle



Fires occur naturally in order to optimize biodiversity.



Historically, grasslands, southern pine, and oak-hickory forests





There are also species, like the redcockaded woodpecker (below left) and Bachman's sparrow (below right), that are fire-dependent and require fire cycles to survive in a specific location.





Benefits of Burning

Opens up forest floor for new growth by reducing buildup of dead, woody material.





Decreases risk of catastrophic wildlife by removing fuel and reducing fire intensity.


Restores natural role of fire in a healthy ecosystem. Provides habitat and forage for animals.



Perpetuates fire dependent species, while reducing exotic vegetation.



Intermediate Disturbance Hypothesis



Frequency and intensity of a disturbance, like fire, affect biodiversity. Moderate levels of disturbance support high species diversity.

Locations burned every few years benefit from the disturbance fire creates.

Prescribed burns of longleaf pine systems encourage new growth in the open space and nutrient rich soils, while also eliminating hardwood species such as oak or hickory which can outcompete the pines.

Burn Cycle of Pine Systems



Burn pine forest systems (left) to reduce hardwoods, like white oak (right), which can outcompete pines.



Allow new growth like the longleaf pine (below left) and maintain mature pines so that species like the red-cockaded woodpecker (bottom right) can survive.

If fire was not used in a pine system, then hickories and oaks would become dominant and valuable red-cockaded woodpecker habitat would be lost.



Page 8

Real-time Fire Cycle

taken at the same site and show the land with overgrowth (top), just after a prescribed burn (middle), and regrowth These photos depict the fire cycle that occurs at the Florida Panther National Wildlife Refuge. The photos were (bottom).

Page 9

Goals of Fire at Natchez Trace Parkway

Reduce red cedars (below left) and pole-sized trees to open understory.




Increase native species (below left) while reducing exotic plants, like Japanese honey-suckle (below right).



Reduce fuel to decrease wildfire frequency and intensity.



Page 10



Page 11

Habitat What is habitat? Food FWS Photo Water Shelter Space

Page 12

Habitat

How Does Fire Help Create Habitat?

New flowers provide a food source for insects. Insects ensure the survival of the plant species they pollinate, and are also a food source for animal species.



Removes understory and debris, which allows species space to find food, water, mates, and shelter.



Fire stops the succession of pine forests to oak and hickory forests. For animals that require pine forest to survive, like the Bachman's sparrow (bottom right), fire provides shelter by maintaining a pine dominated forest.



Glossary

annual plants- plants that grow from seed, flower, set seed, and die, thus completing their life cycle in a single year

biodiversity- the number of different species of plants and animals in a specific location

dominant– a species in a community that has the greatest number, coverage, or size

ecoregion- large areas of similar climate where ecosystems recur in predictable patterns

ecosystem- a biotic community and its interaction with the abiotic environment

endangered– the total population of the species is declining to relatively low levels throughout its range, such that, if the trend continues, will result in extinction

exotic (also see invasive) – a species introduced to a geographical area where it does not occur naturally

forage- to search for food

fuel-wood or grasses that allow fires to start and spread

habitat—the sum of the environmental conditions where an organism, population, or community lives; the environment in which the life needs of an

Glossary

intermediate disturbance hypothesis– proposed by Joseph Connell in 1978; an ecosystem maintains its highest species diversity under conditions of moderate disturbance

invasive (also see exotic)- a species introduced to a geographical area where it does not occur naturally

native- a naturally occurring species of that community

perennial plants – plants that survive and grow year after year

pole (pole-sized)- a tree that is 5-11 inches diameter at breast height; it is a tree between the size of a sapling and a mature tree

prescribed burn– a fire that is set and allowed to spread on purpose but is controlled and monitored by firefighters in order to manage an environment

shrub— a woody plant that lacks a single trunk

species diversity- the number of species in a community or region

succession– the gradual, or sometimes rapid, change of in species that occupy a given area

threatened— a species whose population levels are low enough to cause concern but are not low enough to be considered endangered

understory- plants and trees that grow beneath the forest canopy

watershed– the total land area that drains directly or indirectly into a particular stream or river